

Diamond-Tip® Osteotomes

Snowden-Pencer® Diamond-Tip® Osteotomes feature specially hardened and tempered stainless steel which combines corrosion resistance with rugged, long-lasting strength and durability.

Diamond-Tip®

Tebbetts™

Excellent for multiple osteotomy applications. Ergonomically designed handle for maximum comfort and control. Provides precise osteotomies. Serrated, rectangular portion provides stability and control when striking with mallet. Round, knurled portion facilitates fingertip rotation for greater accuracy and efficiency. Length is sufficient to keep hands from being struck with mallet.

| | | | |
|---------|--------|---------|------|
| 88-4052 | 6-7/8" | 17.5 cm | 2 mm |
| 88-4053 | 6-7/8" | 17.5 cm | 3 mm |



Diamond-Tip®

Sherman-Tebbetts™

Delicate, guarded design for controlled osteotomies. Ergonomic handle design for maximum comfort and control. Serrated rectangular portion provides stability and control when striking with mallet. Round knurled portion facilitates fingertip rotation for greater accuracy.

| | | | |
|---------|----|---------|--------------|
| 88-4059 | 8" | 20.5 cm | Curved left |
| 88-4060 | 8" | 20.5 cm | Curved right |



Diamond-Tip®

Tebbetts™ Dorsum

For precise resections as small as 1mm. Double-guarded blade protects the skin envelope and provides a reference point to the blade's location. Ergonomically designed handle for maximum comfort and control. Serrated, rectangular portion provides stability and control when striking with mallet. Round, knurled portion facilitates fingertip rotation for greater accuracy and efficiency. Length is sufficient to keep hands from being struck with mallet.

| | | | |
|---------|--------|---------|-------|
| 88-4056 | 6-7/8" | 17.5 cm | 12 mm |
| 88-4057 | 6-7/8" | 17.5 cm | 14 mm |



Fine Instruments and Video Equipment

Diamond-Tip®

Tebbetts™

Ergonomically designed handle for maximum comfort and control. Serrated, rectangular portion provides stability and control when striking with mallet. Round, knurled portion facilitates fingertip rotation for greater accuracy and efficiency. Length is sufficient to keep hands from being struck with mallet.



| | | | |
|---------|----|-------|------|
| 88-4050 | 7" | 18 cm | 4 mm |
| 88-4051 | 7" | 18 cm | 7 mm |

Diamond-Tip®

Anderson-Neivert

Special delicate, guarded osteotome designed for controlled osteotomies.




| | | | |
|---------|--------|---------|----------|
| 88-4020 | 8-1/2" | 21.5 cm | Straight |
| 88-4021 | 8-1/2" | 21.5 cm | Right |
| 88-4022 | 8-1/2" | 21.5 cm | Left |

Diamond-Tip®

Gunter

Sharp-edged osteotome with small guard to minimize soft-tissue trauma.



| | | | |
|---------|--------|---------|----------|
| 88-4023 | 8-1/2" | 21.5 cm | Straight |
| 88-4024 | 8-1/2" | 21.5 cm | Right |
| 88-4025 | 8-1/2" | 21.5 cm | Left |

Diamond-Tip®

Silver

Wedge-shaped blade facilitates precise control during osteotomy. Large guard provides visual reference to level and position of cutting surface.



| | | | |
|---------|----|-------|-------|
| 88-4011 | 7" | 18 cm | Right |
| 88-4012 | 7" | 18 cm | Left |

Diamond-Tip®

Ristow

Special features include: an effective but small blade guard for reduced trauma, a longer curved blade in which the curve begins farther down the blade shaft and a longer handle which permits ample positioning of the surgeon's hand away from the mallet tapping.

| | | | |
|---------|----|---------|-------|
| 88-4017 | 8" | 20.5 cm | Right |
| 88-4018 | 8" | 20.5 cm | Left |



Diamond-Tip®

Rees

Lateral osteotome with 3 mm blade for a precise cut with less trauma. Extra-long handle for the surgeon's protection. One side of handle has been flattened to show blade orientation.

| | | | |
|---------|----|---------|------|
| 88-4077 | 8" | 20.5 cm | 3 mm |
|---------|----|---------|------|



Diamond-Tip®

Parkes

Popular guarded osteotome for controlled cuts.

| | | | |
|---------|----|-------|----------|
| 88-4019 | 7" | 18 cm | Straight |
|---------|----|-------|----------|




Diamond-Tip®

Daniel Chisel

Double-guarded to prevent protrusion and protect delicate tissue.

| | | | | |
|---------|----|-------|-------|--------------|
| 88-4083 | 7" | 18 cm | 10 mm | Acute Angled |
|---------|----|-------|-------|--------------|



Diamond-Tip®

Snowden-Pencer®

Large, comfortable handles with beveled edges. Shafts are tapered to minimize unwanted fracturing of bone.

| | | | |
|---------|----|-------|------|
| 88-4000 | 7" | 18 cm | 2 mm |
| 88-4002 | 7" | 18 cm | 4 mm |



Fine Instruments and Video Equipment

Diamond-Tip®

Sheehan

Sturdy, sharp multi-purpose osteotome.

| | | | |
|---------|--------|-------|-------|
| 88-4032 | 6-1/4" | 16 cm | 2 mm |
| 88-4033 | 6-1/4" | 16 cm | 3 mm |
| 88-4034 | 6-1/4" | 16 cm | 4 mm |
| 88-4035 | 6-1/4" | 16 cm | 5 mm |
| 88-4039 | 6-1/4" | 16 cm | 9 mm |
| 88-4040 | 6-1/4" | 16 cm | 10 mm |



Diamond-Tip®

Cinelli

Popular osteotome. Double guarded to prevent protrusion and protect delicate tissue. Added length to help protect surgeon's hand.

| | | | |
|---------|--------|---------|-------|
| 88-4026 | 7-1/4" | 18.5 cm | 10 mm |
| 88-4027 | 7-1/4" | 18.5 cm | 12 mm |
| 88-4028 | 7-1/4" | 18.5 cm | 14 mm |



Diamond-Tip®

Rubin Type

These osteotomes feature a stabilizer which helps prevent lateral rotation and cutting edges with rounded corners to reduce unwanted tissue damage.

| | | | |
|---------|--------|-------|-------|
| 88-4013 | 6-1/4" | 16 cm | 10 mm |
| 88-4014 | 6-1/4" | 16 cm | 14 mm |
| 88-4015 | 6-1/4" | 16 cm | 16 mm |



Diamond-Tip®

Parkes Gouge

Double-guarded osteotome.

| | | | |
|---------|----|-------|--------|
| 88-4031 | 7" | 18 cm | 6.5 mm |
|---------|----|-------|--------|



Diamond-Tip®

Sheen-Angled Radix Chisel

For bone removal.

| | | | | |
|---------|----|-------|-------|-----------|
| 88-4046 | 7" | 18 cm | 10 mm | 10° Angle |
| 88-4047 | 7" | 18 cm | 10 mm | 20° Angle |



Diamond-Tip®

Freer Chisel

| | | | | |
|---------|--------|---------|-----|----------|
| 88-4080 | 6-1/2" | 16.5 cm | 4mm | Straight |
|---------|--------|---------|-----|----------|




Stainless Steel

Snowden-Pencer®

Well-balanced mallet featuring an 11-ounce head with two replaceable nylon faces.

- 88-7210 7" 18 cm 11 oz. head
- 88-7210-1 Replaceable Nylon Face




Stainless Steel

Nylon

Stainless steel mallet with replaceable nylon heads.

- 88-7201 7-1/4" 18.5 cm 7 oz. head Nylon/Nylon
- 88-7202 7-1/4" 18.5 cm 7 oz. head Nylon/Stainless




Stainless Steel

Gerzog

Lead-filled head with large, comfortable handle.

- 88-7204 7" 18 cm 14 oz. head



Aluminum

Julian

Lightweight aluminum mallet with comfortable knurled handles.

- 88-7212 7" 18 cm 10 oz. head

